

MAGNETIC BEARING ISOLATOR

MAG P V7-XL


FOR PUMP APPLICATIONS



ISOMAG
DURABLE BY DESIGN

MAGNETIC FACE BEARING ISOLATOR

Mag P V7-XL



The **MP V7-XL** bearing isolator is the result of our dedicated mission to **increase bearing life.**

IsoMag utilizes magnetically controlled lapped flat sealing faces in collaboration with expulsion ports and a deep channel labyrinth.

The problems of lubricant loss and bearing contamination are resolved, helping achieve and improve maintenance cycle life expectations.

INDUSTRY APPROVED

API 610 & ANSI

The MP V7-XL works in multiple lubrication environments:

Oil Splash
Oil Flooded
Oil Mist
Grease

This technological breakthrough makes the MP V7-XL the most versatile bearing isolator available. IsoMag's primary sealing surface rotates with the shaft, and does not damage shaft surfaces! The MP V7-XL creates a positive, bi-directional seal with or without shaft rotation, on horizontal or vertical applications. It can be used in thousands of applications from 3/4" to 13" shaft sizes. Our compact design interchanges dimensionally with common labyrinth isolators.

ISOMAG

11871 Dunlay Lane
Baton Rouge, LA 70809

U.S. Patents
5,739,447

International Patents
6,805,358

P 225-752-0926
F 225-756-3141

customerservice@isomag.com